Policy Name:Concussion Code of Conduct (Ontario)Version Date:January 14, 2024Approval Date:January 14, 2024Review Date:April 30, 2025



CONCUSSION CODE OF CONDUCT (ONTARIO)

Preamble

- This Policy is based on the 5th Consensus Statement on Concussion in Sport that was released in April 2017. This Policy interprets the information contained in the report that was prepared by the 2017 Concussion in Sport Group (CISG), a group of sport concussion medical practitioners and experts, and adapts concussion assessment and management tools.
- 2. This Policy is intended to be compliant with Ontario's *Rowan's Law (Concussion Safety), 2018.* If any provision of the policy is in conflict with Rowan's Law, the legislation shall take precedence.
- The CISG suggested 11 'R's of Sport-Related Concussion ("SRC") management to provide a logical flow of concussion management. This Policy is similarly arranged. The 11 R's in this Policy are: Recognize, Remove, Re-Evaluate, Rest, Rehabilitation, Refer, Recover, Return to Sport, Reconsider, Residual Effects, and Risk Reduction.
- 4. A concussion is a clinical diagnosis that can only be made by a qualified and licensed physician.

Definitions

- 5. The following terms have these meanings in this Policy:
 - a) "Designated Person" an individual or individuals identified by the Northern Ontario Curling Association (NOCA), a NOCA employee, or the Participant's Coach, and who shall have the responsibilities as described in this Policy including, but not limited to, as it relates to the removal from sport and return to sport protocols described herein.
 - b) "Participant" Coaches, athletes, volunteers, officials, event coordinators and other Registered Individuals
 - c) "Registered Individuals" All individuals employed by, or engaged in activities with NOCA, including but not limited to, employees, volunteers, administrators, committee members and directors and officers.
 - d) "Suspected Concussion" means the recognition that a Participant appears to have either experienced an injury or impact that may result in a concussion or who is exhibiting unusual behaviour that may be the result of concussion.

- e) "Sport-Related Concussion ("SRC") A sport-related concussion is a traumatic brain injury induced by biomechanical forces. Several common features that may be used to define the nature of a SRC may include:
 - i. Caused either by a direct blow to the head, face, neck or elsewhere on the body with an impulsive force transmitted to the head.
 - ii. Typically results in the rapid onset of short-lived impairment of neurological function that resolves spontaneously. However, in some cases, signs and symptoms evolve over a number of minutes to hours.
 - iii. May result in neuropathological changes, but the acute clinical signs and symptoms largely reflect a functional disturbance rather than a structural injury and, as such, no abnormality may be visibly apparent
 - iv. Results in a range of clinical signs and symptoms that may or may not involve loss of consciousness. Resolution of the clinical and cognitive features typically follows a sequential course. However, in some cases symptoms may be prolonged.

Purpose and Application

- 6. NOCA is committed to ensuring the safety of Participants in its activities. NOCA recognizes the increased awareness of concussions and their long-term effects and believes that prevention of concussions is paramount to protecting the health and safety of Participants.
- 7. Despite a Participant's best efforts to prevent concussions, the risk may not be completely eliminated and concussions may still occur. This Policy describes the common signs and symptoms of a concussion and how to identify them, the protocol to be followed in the event of a possible concussion, and a Return to Sport protocol should a concussion be diagnosed. Awareness of the signs and symptoms of concussion and knowledge of how to properly manage a concussion is critical to recovery and helping to ensure the individual is not returning to physical activities too soon, risking further complication.
- 8. This Policy applies exclusively to all activities and events for which NOCA is the governing or sanctioning body including, but not limited to, competitions, practices, tryouts and training camps.

Registration

- 9. When a participant under the age of 26 years old registers with NOCA, the participant <u>must</u> provide written or electronic confirmation that they have reviewed concussion awareness resources within the past 12 months. The Ontario Government has produced age-appropriate concussion resources located here:
 - a) Ages 10 and under
 - b) <u>Ages 11-14</u>
 - c) <u>Ages 15+</u>
- 10. Participants under the age of 26 years old must also sign the *Concussion Code of Conduct* (**Appendix A**).
- 11. For participants younger than 18 years old, the participant's parent or guardian <u>must</u> provide confirmation that they have also reviewed the concussion resources and signed the *Concussion Code of Conduct*.

12. Coaches, Officials and Event Coordinators must provide confirmation that they have also reviewed the concussion resources and they must sign the *Concussion Code of Conduct*; unless they will be interacting exclusively with athletes who are 26 years old or older.

Recognizing Concussions

- 13. Severe signs of a Concussion include:
 - a) Neck pain or tenderness
 - b) Double vision
 - c) Weakness or tingling / burning in arms or legs
 - d) Severe or increasing headache
 - e) Seizure or convulsion
 - f) Loss of consciousness
 - g) Deteriorating conscious state
 - h) Vomiting more than once
 - i) Increasingly restless, agitated, or combative
 - j) Increased confusion
- 14. The following **observable signs** may indicate a possible concussion:
 - a) Lying motionless on the playing surface
 - b) Slow to get up after a direct or indirect hit to the head
 - c) Disorientation or confusion / inability to respond appropriately to questions d) Blank or vacant look
 - e) Balance or gait difficulties, absence of regular motor coordination, stumbling, slow laboured movements
 - f) Facial injury after head trauma

15. A concussion may result in the following **symptoms**:

- a) Headache or "pressure in head"
- b) Balance problems or dizziness
- c) Nausea or vomiting
- d) Drowsiness, fatigue, or low energy
- e) Blurred vision
- f) Sensitivity to light or noise
- g) More emotional or irritable
- h) "Don't feel right"
- i) Sadness, nervousness, or anxiousness
- j) Neck pain
- k) Difficulty remembering or concentrating
- I) Feeling slowed down or "in a fog"
- 16. Failure to correctly answer any of these **memory questions** may suggest a concussion:
 - a) What venue are we at today?
 - b) Where was your last major competition?
 - c) What day is it?
 - d) What event are you participating in?

Removal from Sport Protocol

- 17. In the event of a Suspected Concussion (regardless of whether the concussion or suspected concussion was obtained while curling or during the activity or event) where there are **observable signs** of a concussion, **symptoms** of a concussion, or a failure to correctly answer **memory questions**, the Participant must be immediately removed from training, practice or competition by the person who is the Designated Person at an event, an on-site NOCA staff member and/or the coach of the athlete.
- 18. After removal from participation, the following actions should be taken:
 - a) The Designated Person(s) who removed the Participant must call 911, if in their opinion doing so is necessary (e.g. if there is an emergency and any severe signs or symptoms appear).
 - b) NOCA must make and keep a record of the removal (Appendix B);
 - c) The Designated Person must inform the Participant's parent or guardian of the suspected concussion if the Participant is younger than 18 years old, and the Designated Person must also inform the parent or guardian that the Participant is required to undergo a medical assessment by a physician or nurse practitioner before the Participant will be permitted to return to training, practice or competition; and
 - d) The Designated Person will remind the Participant, and the Participant's parent or guardian as applicable, of NOCA's Return-to-Sport protocol as described in this Policy (Appendix C).
- 19. A Participant who has been removed from participation due to a suspected concussion must not return to participation until the Participant has been assessed medically by a physician or a nurse practitioner. It is preferable the assessment occur by a physician who is familiar with the <u>Sport Concussion Assessment Tool 5th Edition (SCAT5)</u> (for Participants over the age of 12) or the <u>Child SCAT5</u> (for Participants between 5 and 12 years old), even if the symptoms of the concussion resolve.
- 20. Participants who have a Suspected Concussion and who are removed from participation should:
 - a) Be isolated in a dark room or area and stimulus should be reduced
 - b) Be monitored
 - c) Have any cognitive, emotional, or physical changes documented
 - d) Not be left alone (at least for the first 1-2 hours)
 - e) Not drink alcohol
 - f) Not use recreational/prescription drugs
 - g) Not be sent home by themselves
 - h) Not drive a motor vehicle until cleared to do so by a medical professional

Medical Evaluation

21. A Participant with a Suspected Concussion should be evaluated by a licensed physician or nurse practitioner who should conduct a comprehensive neurological assessment of the Participant and determine the Participant's clinical status and the potential need for neuroimaging scans.

Return to Play

- 22. The Participant who has been removed from play, can not return to training, practice or competition until the participant, or if the participant is under 18 years of age, the participant's parent or guardian provides confirmation to the designated person that the participant:
 - a. Has undergone a medical assessment by a physician or nurse practitioner and has not been diagnosed as having a concussion, and
 - b. Has been medically cleared to return to training, practice or competition by the physician or nurse practitioner
- 23. If the Participant has been diagnosed with having a concussion.
 - a. The Participant must proceed through the graduated return-to-sport steps.
 - b. The Participant's Return-to-Sport strategy should be guided and approved by a physician with regular consultations throughout the process. The Northern Ontario Curling Association's recommended Return-to-Play protocol can be found in Appendix C.
 - c. An athlete, or the athlete's parent or guardian if under 18 years of age, must share the medical advice or recommendations they receive with the Designated Person (s) before being permitted to return to training, practice or competition through the graduated Return-to-Sport steps, if any.
 - d. The Designated Person must inform the participant or, if the participant is under 18 years of age, the athlete's parent or guardian, of the importance of disclosing the diagnosis to other sport organization(s) with which the participant is registered or the school the participant attends.
 - e. The Participant, or the Participant's parents or guardians, if under 18 years old, must disclose if the Participant has been diagnosed with a Concussion during an activity/school/sport outside of curling activities, and communicate such diagnosis to the Designated Person.
- 24. The Participant, or the Participants parent or guardian, if under 18 years old, must provide the Northern Ontario Curling Association with a medical clearance form, signed by a physician, following Stage 5 and before proceeding to Stage 6 (See Table 1 within Return-to-Sport protocol).
- 25. NOCA will record and keep a record of the participant's progression through the graduated return to sport steps until the athlete, or the athlete's parent or guardian, if under 18 years old, has provided a confirmation of medical clearance by a physician or nurse practitioner to the Designated Person (s).

Risk Reduction and Prevention

- 26. NOCA mandates the use of well-fitting, properly worn helmets (either CSA or designed specifically for the sport of curling) for all participants under the age of 12.
- 27. NOCA strongly recommends that anyone in a Learn to Curl Program (age 12 or older) and anyone who is vulnerable (related to experience, medical, prior concussions, etc.) wear protective headgear on ice, as recommended by Curling Canada. https://www.curling.ca/about-curling/safety-first/helmetuse-recommendations/

28. NOCA recognizes that knowing a Participant's SRC history can aid in the development of concussion management and the Return to Sport strategy. The clinical history should also include information about all previous head, face, or cervical spine injuries. NOCA encourages Participants to make coaches and other stakeholders aware of their individual histories.

Non-Compliance

29. Failure to abide by any of the guidelines and/or protocols contained within this policy may result in disciplinary action in accordance with NOCA's *Discipline and Complaints* Policy.

Liability

30. NOCA shall not be liable for any Participant or other individual's use or interpretation of this Policy. Further, none of NOCA's members, board members, officers, employees, agents, representatives and other individuals involved in any way in the administration of this Policy shall be liable to any other individual in any way, in relation to any lawful acts or omissions committed in the honest application, administration, and/or enforcement of this Policy.

Concussion Code of Conduct (Appendix A) PART A

The following section of the *Concussion Code of Conduct* must be signed <u>by all Participants</u> <u>under the age of 26 years old</u>. For Participants who are younger than 18 years old, a parent/guardian must also sign this section.

I will help prevent concussions by:

- Wearing the proper equipment for my sport and wearing it correctly.
- Developing my skills and strength so that I can participate to the best of my ability.
- Respecting the rules of my sport or activity.
- Demonstrating my commitment to fair play and respect for all (respecting other athletes, coaches, team trainers and officials).

I will care for my health and safety by taking concussions seriously, and I understand that:

- A concussion is a brain injury that can have both short-term and long-term effects.
- A blow to my head, face or neck, or a blow to the body that causes the brain to move around inside the skull may cause a concussion.
- I don't need to lose consciousness to have had a concussion.
- I have a commitment to concussion recognition and reporting, including self-reporting of
 possible concussion and reporting to a Designated Person when I suspect that another
 individual may have sustained a concussion. (Meaning: If I think I might have a concussion I
 should stop participating in further training, practice or competition immediately, and I will tell
 an adult if I think another participant has a concussion).
- Continuing to participate in further training, practice or competition with a possible concussion increases my risk of more severe, longer lasting symptoms, and increases my risk of other injuries.

I will not hide concussion symptoms. I will speak up for myself and others.

 I will not hide my symptoms. I will tell a coach, official, team trainer, parent or another adult I trust if I experience any symptoms of concussion.

- If someone else tells me about concussion symptoms, or I see signs they might have a concussion, I will tell a coach, official, team trainer, parent or another adult I trust so they can help.
- I understand that if I have a suspected concussion, I will be removed from sport and that I will not be able to return to training, practice or competition until I undergo a medical assessment by a medical doctor or nurse practitioner and have been medically cleared to return to training. practice or competition.
- I have a commitment to sharing any pertinent information regarding incidents of removal from sport with my school and any other sport organization with which I have registered. (Meaning: If I am diagnosed with a concussion, I understand that letting all of my other coaches and teachers know about my injury will help them support me while I recover).

I will take the time I need to recover, because it is important for my health.

- I understand my commitment to supporting the return-to-sport process and I will follow my sport organization's Return-to-Sport Protocol.
- I understand I will have to be medically cleared by a medical doctor or nurse practitioner before returning to training, practice or competition.
- I will respect my coaches, team trainers, parents, health-care professionals, and medical doctors and nurse practitioners, regarding my health and safety.

By signing here, I acknowledge that I have fully reviewed and commit to this Concussion Code of Conduct.

Name of Participant (print)

Signature of Participant

Date of Birth

Name of Parent or Guardian (print) Signature of Parent or Guardian Date

PART B

The following section of the Concussion Code of Conduct must be signed by all coaches and team trainers who interact with Participants under the age of 26 years old.

I can help prevent concussions through my:

- Efforts to ensure that my athletes wear the proper equipment and wear it correctly.
- Efforts to help my athletes develop their skills and strength so they can participate to the best of their abilities.
- Respect for the rules of my sport or activity and my efforts to ensure that my athletes do too.
- Commitment to fair play and respect for all (respecting other coaches, team trainers, officials and all participants and ensuring my athletes respect others and play fair).

I will care for the health and safety of all participants by taking concussions seriously. I understand that:

- A concussion is a brain injury that can have both short-term and long-term effects.
- A blow to the head, face, or neck, or a blow to the body may cause the brain to move around inside the skull and result in a concussion.
- A person doesn't need to lose consciousness to have had a concussion.
- A participant with a suspected concussion should stop participating in training, practice or competition **immediately**.
- I have a commitment to concussion recognition and reporting, including self-reporting of possible concussion and reporting to a Designated Person when I suspect that another individual may have sustained a concussion.
- Continuing to participate in further training, practice or competition with a suspected concussion increases a person's risk of more severe, longer lasting symptoms, and increases their risk of other injuries or even death.

I will create an environment where participants feel safe and comfortable speaking up. I will:

- Encourage athletes not to hide their symptoms, but to tell me, an official, parent or another adult they trust if they experience **any** symptoms of concussion after an impact.
- Lead by example. I will tell a fellow coach, official, team trainer and seek medical attention by a physician or nurse practitioner if I am experiencing any concussion symptoms.
- Understand and respect that any participant with a suspected concussion must be removed from sport and not permitted to return until they undergo a medical assessment by a physician or nurse practitioner and have been medically cleared to return to training, practice or competition.
- *For coaches only*: Commit to providing opportunities before and after each training, practice and competition to enable athletes to discuss potential issues related to concussions.

I will support all participants to take the time they need to recover.

- I understand my commitment to supporting the Return-to-Sport process.
- I understand the athletes will have to be cleared by a physician or nurse practitioner before returning to sport.
- I will respect my fellow coaches, team trainers, parents, physicians and nurse practitioners and any decisions made with regards to the health and safety of my athletes.

By signing here, I acknowledge that I have fully reviewed and commit to this *Concussion Code* of *Conduct*.

Name and role (print)

Signature

Date

Sample Accident Report Form (Appendix B)

Date of Report (DD/MM/YY): PARTICIPANT INFORMATION (IN		۹)		
LAST NAME:		FIRST NAME:		
STREET ADDRESS:		CITY:		
POSTAL CODE:		PHONE: ()		
E-MAIL:		AGE:		
SEX:MF	HEIGHT:	_ WEIGHT:		/ dd / mm / yyyy
KNOWN MEDICAL CONDITIONS	S/ALLERGIES:			
INCIDENT INFORMATION				
DATE & TIME OF INCIDENT:		TIME OF FIRST INTERVENTION:		TIME OF MEDICAL SUPPORT ARRIVAL:
//::::::		AM/PM		 AM/PM
DESIGNATED PERSON - DESC the signs and symptoms of the in	RIBE THE INCID	ENT: (what took	olace, whe	re it took place, what were
INJURED PARTICIPANT - DES		DENT: (see above	e)	
EVENT and CONDITIONS: (wha incident, surface quality, light, we		uring which the ir	ncident too	k place, location of
ACTIONS TAKEN/INTERVENTION	ON:			
After treatment, the injured perso	n was (*Participaı			• •
Sent home S	Sent to hospital/a	clinic Re	eturned to	activity*

OVER

Sample Accident Report Form (cont'd)

DESIGNATED PERSON INFORMATION

LAST NAME:	FIRST NAME:		
STREET ADDRESS:	CITY:		
POSTAL CODE:	PHONE: ()		
E-MAIL:	AGE:		
ROLE (Coach, assistant, parent, official, bystander, therapist):			

WITNESS INFORMATION (someone who observed the incident and the response, not the charge person)

LAST NAME:	FIRST NAME:
STREET ADDRESS:	CITY:
POSTAL CODE:	PHONE: ()
E-MAIL:	AGE:

OTHER COMMENTS OR REMARKS

FORM COMPLETED BY:		
PRINT NAME:	SIGNATURE:	

Return-to-Sport Protocol (NOCA) (Appendix C)

The Participant's Return-to-Sport strategy should be guided and approved by a physician with regular consultations throughout the process.

Rest and Rehabilitation

- 1. Participants with a diagnosed Sport Related Concussion (SRC) should rest during the acute phase (24-48 hours) but can gradually and progressively become more active so long as activity does not worsen the Participant's symptoms. Participants should avoid vigorous exertion.
- 2. Participants must consider the diverse symptoms and problems that are associated with SRCs. Rehabilitation programs that involve controlled parameters below the threshold of peak performance should be considered.

Refer

3. Participants who display persistent post-concussion symptoms (i.e., symptoms beyond the expected timeline for recovery – 10-14 days for adults and 4 weeks for children) should be referred to physicians with experience handling SRCs.

Recovery and Return to Sport

- 4. SRCs have large adverse effects on cognitive functioning and balance during the first 24-72 hours after injury. For *most* Participants, these cognitive defects, balance and symptoms improve rapidly during the first two weeks after injury. An important predictor of slower recovery from an SRC is the severity of the Participant's initial symptoms following the first few days after the injury.
- 5. The table below represents a recommended graduated return to sport for most Participants, in particular, for those that did not experience high severity of initial symptoms after the following the first few days after the injury.

Stage	Aim	Activity	Stage Goal
1	Symptom-limited activity	Daily activities that do not provoke symptoms	Gradual reintroduction of work/school activities
2	Light aerobic exercise	 Walking or stationary cycling at slow to medium pace. No resistance training. Light intensity walking or stationary cycling for 15-20 minutes at sub-symptom threshold intensity 	Increase heart rate

3	Sport-specific exercise	 Running drills. No head impact activities Low intensity participation like throwing rocks. The environment should be managed so as to ensure the participant is at minimum risk of falling or colliding with other participants. 	Add movement
		- The participant may also attempt basic balance drills.	
4	Non-contact training drills	Increase intensity, difficulty and duration of training drills. May start progressive resistance training	Exercise, coordination and increased thinking
5	Full practice	Following medical clearance, participate in normal training activities	Restore confidence and assess functional skills by coaching staff
6	Return to sport	Normal participation	

Table 1 – Return to Sport Strategy – Parachute Canada/Curling Canada

- 6. An initial period of 24-48 hours of both physical rest and cognitive rest is recommended before beginning the Return to Sport strategy.
- 7. There should be at least 24 hours (or longer) for each step. If symptoms reoccur or worsen, the Participant should go back to the previous step.
- 8. Resistance training should only be added in the later stages (Stage 3 or Stage 4).
- 9. If symptoms persist, the Participant should return to see a physician.
- 10. The Participant must provide NOCA with a medical clearance form, signed by a physician, following Stage 5 and before proceeding to Stage 6.

Reconsider

- 11. The 2017 Concussion in Sport Group (CISG) considered whether certain populations (children, adolescents, and elite athletes) should have SRCs managed differently.
- 12. It was determined that all Participants, regardless of competition level, should be managed using the same SRC management principles.
- 13. Adolescents (13 to 18 years old) and children (5 to 12 years old) should be managed differently. SRC symptoms in children persist for up to four weeks. More research was recommended for how these groups should be managed differently, but the CISG recommended that children and adolescents should first follow a Return to School strategy before they take part in a Return to Sport strategy. A Return to School strategy is described below.

Stage	Aim	Activity	Stage Goal
1	Daily activities at home that do not give the child symptoms	Typical activities of the child during the day as long as they do not increase symptoms (e.g., reading, texting, screen time). Start with 5–15 min at a time and gradually build up	Gradual return to typical activities
2	School activities	Homework, reading or other cognitive activities outside of the classroom	Increase tolerance to cognitive work
3	Return to school part-time	Gradual introduction of schoolwork. May need to start	Increase academic activities
		with a partial school day or with increased breaks during the day	
4	Return to school full time	Gradually progress school activities until a full day can be tolerated	Return to full academic activities and catch up on missed work

Table 2 – Return to School Strategy

Residual Effects

14. Participants should be alert for potential long-term problems such as cognitive impairment and depression. The potential for developing chronic traumatic encephalopathy (CTE) should also be a consideration, although the CISG stated that "a cause-and-effect relationship has not yet been demonstrated between CTE and SRCs or exposure to contact sports. As such, the notion that repeated concussion or subconcussive impacts cause CTE remains unknown."